


SACP 3.0


40' Chassis Details



NOTE: Size decals (45 and 40/45) are to be applied in pair only. Do not mix size decals on chassis. Do not apply to size decals to Nominal 40 foot chassis. Above are for placement illustration purposes only and are not exact placements.

SACP 3.0

20' Chassis Details



SACP 3.0

Chassis Decal Placement



Conspicuity

- Gooseneck/Tongue Area– centered in rail height
- Rear Bolster – .5 inch below top face of bolster full length minimized breaks
- ICC Horizontal – centered in horizontal tube
- Main frame
 - 20' - 50% of total length intermittently spaced
 - adjacent to bottom flange for length of main frame
 - Centered on slider rails full length intermittently spaced
 - 40/45' - 50% of total length intermittently spaced
 - adjacent to bottom flange of main rail from transition area to front spring hanger
 - 2" below top flange of main rail from front spring hanger to rear bolster

Unit Number

- Main rails
 - 21" behind centerline of chassis
 - Centered between top flange and top edge of conspicuity
- Rear bolster
 - 20' - 8" from left end of bolster
 - 40/45' – Centered between tail lights and left vertical ICC support
 - Centered between bottom edge of conspicuity and bottom edge of bolster
- Front bolster
 - 20' – 4" from end of left bolster
 - 40'/45' – 3" inward from end of push pin handle access left bolster
 - Centered between top and bottom of bolster

CCM Logo

- Main rails
 - 21" in front of the centerline of chassis
 - Centered between top flange and top edge of conspicuity
- Rear Bolster 20' only –
 - Centered between the unit number on left and SACP3.0 on right
 - Centered between bottom edge of conspicuity and bottom of bolster

SACP 3.0

Chassis Decal Placement



SACP3.0

- Main rail
 - 40'/45' – 20" rearward of rear edge of unit number
 - 20' – 10" rearward of rear most edge of unit number centered between the top flange and top edge of the conspicuity
- Rear Bolster
 - 20' – centered between Unit number on left and CCM Logo on right centered between bottom of conspicuity and bottom of bolter
 - 40/45' – Centered between taillights and right vertical ICC support, centered between bottom edge of conspicuity and bottom edge of bolster

Tare WT.

- 20' - 6" from rear bolster. centered between top edge of conspicuity and top main rail flange
- 40/45' - 3" in front of front spring hanger, 3" above top edge of conspicuity

Radial tire decal

- 20' – on the main rail 4'6" from rear plane of chassis centered between the bottom of the conspicuity and the bottom flange of the main rail
- 40/45' – on the main rail centered over the equalizer hanger or adjacent to the vertical support (if equipped), centered between the bottom edge of the conspicuity and the bottom flange of the main rail

SACP 3.0

Chassis Decal Placement



ABS light decal

- Directly adjacent to the ABS Light centered on the ABS light

FMCSA Decal

- Roadside main rail adjacent to the VIN PLATE

FMCSA DUE

- 20' - On the horn centered to the left of the emergency gladhand room permitting.
 - If no room on the horn, centered adjacent to the left of the ABS Warning Decal
- 40/45' - centered adjacent to the left of the ABS Warning Decal

Torque Log

- 20' – Centered between the TARE WEIGHT and RADIAL Tire decal on both main rails. Centered between the bottom of the conspicuity and bottom flange of the main rail
- 40-45' - Centered between the bottom of the conspicuity and bottom flange of the main rail. 3" from the rearward end of the RADIAL TIRE decal on both main rails

Size Decal – 40/45 and 45 Nominal units only

- Placed on main rails only
- Centered between top of conspicuity and top flange of main rail
- Eight inches from forward end of CCM logo

SACP 3.0
Chassis Decal Specifications



Decal Name”	Description	Quantity
Control Number - Large	4 alpha, 6 numeric characters Large for main rails 5" H x 29" W Die cut white freestanding	2
Control Number - Small	4 alpha, 6 numeric characters Small for bolsters 2.88" H x 15" W Die cut white freestanding	2
“CCM” Logo	CCM Logo Decal 7”H x 26.6”W die cut white freestanding	2
Tare Wt Decal	3.88"H x 20" W Die cut white freestanding	2
“SACP 3.0”	For main rails 5” H x 16” W Die cut white freestanding	2
“SACP 3.0”	For bolsters 2.88”H x 10” W Die cut white freestanding	2
Radial Tire Decal	3” H x 9” W white on black screen print	2
CCM Torque Log Decal	8”H x 8”W black on white screen print	2
FMCSA destructible decal	3”H x 5” W Black on white screen print	1
FMCSA DUE decal,	2.88”H x 3.0”W black on white screen print	1
ABS Warning decal	3”H x 4.75”W Screen print	1
“ABS” decal	1.5”H x 3” W Black on White screen print	1
“40/45” Decal	5”H x 12.8” wide W die cut, white, freestanding	2
“45” Decal	5”H x 5.9” wide W die cut, white, freestanding	2